

4


3

2



1

Notes:


- 1. For SSB12 to SSB18, 15, 50, and 100psi trims, all voltages and phase
- 2. Boiler is UL listed to standard 834
- 3. Materials of construction:
  - 1. Vessel and Piping: Stainless Steel
  - 2. Jacket: Stainless Steel
- 4. Pressure vessel built in accordance with ASME Section 1 and carries an "M" stamp
- 5. Completed boiler is built in accordance with ASME Section 1 and carries an "E" Stamp
- 6. Refer to Technical Data Sheet at [www.sussmanboilers.com](http://www.sussmanboilers.com) for more information




Top



Left



Front



Right

Mounting Holes: 4 x Ø .437"

DIMENSIONS ARE SHOWN IN INCHES [CENTIMETERS]  
 TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED  
 X.XX X.XXX X.XXXX ANGULAR FINISH  
 ±.12 ±.031 ±.0156 ±1.0° 250

REMOVE AND DEBURR SHARP EDGES AND CORNERS  
 ALL DIMENSIONS ARE AFTER FINISH OR PLATING  
 REFERENCE DIMENSIONS ARE SHOWN IN PARENTHESES ( )  
 CRITICAL DIMENSIONS ARE SHOWN IN

THIS DRAWING AND/OR SPECIFICATIONS ARE THE PROPERTY OF DIVERSIFIED HEAT TRANSFER INC. THIS CONFIDENTIAL AND PROPRIETARY INFORMATION SHALL NOT BE USED, COPIED OR REPRODUCED IN ANY MEANS AS THE BASIS FOR MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN AUTHORIZATION FROM OWNER.



439 MAIN RD. TOWACO NJ 07082  
 PHONE: (800) 221-1522 FAX: (718) 386-7809

TITLE  
 SSB12-SSB18 Electric Steam Boiler  
 15PSI, 50PSI, 100 PSI

A		FOR RELEASE	JH	3/5/24
REV	ECN	REVISION DESCRIPTION	NAME	DATE

THIRD ANGLE PROJECTION	DWG. SCALE	MATERIAL SPEC:	NAME	DATE	DWG#	REV
	1:12		JH	3/5/24	SSB12-SSB18	
			CHECKED BY		SHEET 1 OF 2	

4

3

2

1

4

3


2

1

Notes:

1. Minimum 1" clearance to all combustible materials
2. Service clearances to be in conformance to NEC requirements

## Service Clearance Requirements



Boiler	kW	Pressure	Elements	Voltage	Amp Draw		Control Voltage	Steam Flowrate (lbs/hr)	Feed Water Consumption	Reccomended Min. Feed Water
					1P	3P				
SSB12	12	15 50 100	1 x 12kw	208	58	33	120	36.2	0.072	0.217
				240	50	29				
				380	32	18	240			
				415	29	17				
				480	25	14	120			
600	20	12								
SSB18	18	15 50 100	1 x 18kw	208	87	50	120	54.2	0.108	0.325
				240	75	43				
				380	47	27	240			
				415	43	25				
				480	38	22	120			
600	30	17								

Boiler	Total Volume (gal)	Operating Volume (gal)	Dry Weight (LBS.)	Wet Weight (LBS.)	Shipping Weight (LBS.)	Outlet Size (NPT)	Water Feed Inlet Size (NPT)	Drain Outlet Size (NPT)	Safety Valve Outlet Size (NPT)
SSB12	6.1	3.82	152	184	230	1/2"	1/2"	1"	1"
SSB18									

Note: All weights do not include options.  
See option drawings for additional weights

DIMENSIONS ARE SHOWN IN INCHES (CENTIMETERS)  
TOLERANCES ARE AS FOLLOWS UNLESS OTHERWISE SPECIFIED  
X.XX X.XXX X.XXXX ANGULAR FINISH  
±.12 ±.031 ±.0156 ±1.0° 250

REMOVE AND DEBURR SHARP EDGES AND CORNERS  
ALL DIMENSIONS ARE AFTER FINISH OR PLATING  
REFERENCE DIMENSIONS ARE SHOWN IN PARENTHESES ( )  
CRITICAL DIMENSIONS ARE SHOWN IN

THIS DRAWING AND/OR SPECIFICATIONS ARE THE PROPERTY OF DIVERSIFIED HEAT TRANSFER INC. THIS CONFIDENTIAL AND PROPRIETARY INFORMATION SHALL NOT BE USED, COPIED OR REPRODUCED IN ANY MEANS AS THE BASIS FOR MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN AUTHORIZATION FROM OWNER.



439 MAIN RD. TOWACO NJ 07082  
PHONE: (800) 221-1522 FAX: (718) 386-7809

TITLE  
SSB12-SSB18 Electric Steam Boiler  
15PSI, 50PSI, 100 PSI

A		FOR RELEASE	JH	3/5/24	THIRD ANGLE PROJECTION	DWG. SCALE	MATERIAL SPEC:		NAME	DATE	DWG#	REV
REV	ECN	REVISION DESCRIPTION	NAME	DATE		1:12		DRAWN BY	JH	3/5/24	SSB12-SSB18	
								CHECKED BY			SHEET 2 OF 2	

4

3

2

1